

Bennett, John


From: Li, Charles <cli@EMSL.com>
Sent: Wednesday, March 19, 2014 12:59 PM
To: Fout, Shay
Subject: RE: Water Cluster Project

Hi, Shay,

I do not see there is any problem. I will get back to you for EPA technology Transfer Resources Agreement. I will write the SOP and send back to you.

Thanks

Charlie



Charles Li, Ph.D. | *Director of PCR and DNA Analysis Laboratory*
EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077
Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675
Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:

[LABConnect](#) | [Order Products](#) | [Client Corner](#) | [Training](#) | [Additional Resources](#) | [Sampling Videos](#)

“This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). **If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited.** If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you.”

From: Fout, Shay [mailto:Fout.Shay@epa.gov]
Sent: Wednesday, March 19, 2014 12:12 PM
To: Li, Charles
Subject: RE: Water Cluster Project

Charlie,

Is EMSL analytical a signatory to the Uniform Biological Materials Transfer Agreement (see http://www.autm.net/Technology_Transfer_Resources/8395.htm)? If you are, it will make our work together much easier, as we will not need a materials CRADA or to go through the EPA lawyers, and perhaps not through yours either. We would just need a simple form stating what I'm giving to you and what you are giving back.

Also, would it be possible to develop and sign a confidentiality statement and have you give me your SOP for producing the plates. I need to request additional funding for the reagents, as many have expired due to the delay. So being able to decide exactly what will be needed would be very helpful.

Best regards,
Shay

G. Shay Fout, Ph.D.
Senior Research Microbiologist
U.S. Environmental Protection Agency (MS 593)

Microbiological & Chemical Exposure
Assessment Research Division
Biohazard Assessment Research Branch
26 W. Martin Luther King Jr. Drive
Cincinnati, OH 45268
Phone: 513-569-7387
Fax: 513-569-7464
Email: fout.shay@epa.gov

From: Li, Charles [<mailto:cli@EMSL.com>]
Sent: Wednesday, February 19, 2014 8:58 AM
To: Fout, Shay
Subject: RE: Water Cluster Project

Hi, Shay,

Yes, there is no problem with me and our company.

Thanks

Charlie



Charles Li, Ph.D. | *Director of PCR and DNA Analysis Laboratory*
EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077
Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675
Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:

[LABConnect](#) | [Order Products](#) | [Client Corner](#) | [Training](#) | [Additional Resources](#) | [Sampling Videos](#)

“This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). **If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited.** If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you.”

From: Fout, Shay [<mailto:Fout.Shay@epa.gov>]
Sent: Wednesday, February 19, 2014 8:55 AM
To: Li, Charles
Subject: RE: Water Cluster Project

Charlie,

Thanks for the quick response. There is no need for your lawyer to do anything at this point, unless she would be opposed to using the materials CRADA rather than a full CRADA. If she would like to talk to me about the difference, I would be happy to speak with her. At this point I just want to make certain you and I are in agreement on the approach and then I will have the official paperwork drawn up.

Shay

G. Shay Fout, Ph.D.
Senior Research Microbiologist
U.S. Environmental Protection Agency (MS 593)
Microbiological & Chemical Exposure

Assessment Research Division
Biohazard Assessment Research Branch
26 W. Martin Luther King Jr. Drive
Cincinnati, OH 45268
Phone: 513-569-7387
Fax: 513-569-7464
Email: fout.shay@epa.gov

From: Li, Charles [<mailto:cli@EMSL.com>]
Sent: Wednesday, February 19, 2014 8:49 AM
To: Fout, Shay
Subject: RE: Water Cluster Project

Hi, Shay,

There is no problem for the standard document. I will sign the final document. I was away for the training on microbial genome and metagenomics at The Joint Genome Institute of DOE in San Francisco. I passed to our attorney. She has no idea what to do and made it delay.

Thanks

Charlie



Charles Li, Ph.D. | *Director of PCR and DNA Analysis Laboratory*
EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077
Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675
Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:

[LABConnect](#) | [Order Products](#) | [Client Corner](#) | [Training](#) | [Additional Resources](#) | [Sampling Videos](#)

"This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). **If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited.** If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you."

From: Fout, Shay [<mailto:Fout.Shay@epa.gov>]
Sent: Wednesday, February 19, 2014 7:58 AM
To: Li, Charles
Subject: RE: Water Cluster Project

Charlie,
Any update on your conversation with your management? I have a meeting this afternoon with the Water Cluster Program Managers and need to give an update on the project.

Thanks,

Shay

G. Shay Fout, Ph.D.
Senior Research Microbiologist

U.S. Environmental Protection Agency (MS 593)
Microbiological & Chemical Exposure
Assessment Research Division
Biohazard Assessment Research Branch
26 W. Martin Luther King Jr. Drive
Cincinnati, OH 45268
Phone: 513-569-7387
Fax: 513-569-7464
Email: fout.shay@epa.gov

From: Li, Charles [<mailto:cli@EMSL.com>]
Sent: Monday, January 27, 2014 11:07 AM
To: Fout, Shay
Subject: RE: Water Cluster Project

Hi, Shay,

I read it and I will present it to the management tomorrow. I will get back to you shortly.

Thanks

Charlie



Charles Li, Ph.D. | *Director of PCR and DNA Analysis Laboratory*
EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077
Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675
Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:

[LABConnect](#) | [Order Products](#) | [Client Corner](#) | [Training](#) | [Additional Resources](#) | [Sampling Videos](#)

"This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). **If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited.** If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you."

From: Fout, Shay [<mailto:Fout.Shay@epa.gov>]
Sent: Monday, January 27, 2014 10:22 AM
To: Li, Charles
Subject: RE: Water Cluster Project

Hi, Charles,

Thanks for the quick reply. Don't sign the form I sent yet, as it is not complete and needs to be run through our CRADA office before coming to you for signature. I just wanted to see if you were in agreement with the approach. I was thinking we ought to be in agreement with everything before we run it through the lawyers.

Shay

G. Shay Fout, Ph.D.
Senior Research Microbiologist
U.S. Environmental Protection Agency (MS 593)
Microbiological & Chemical Exposure

Assessment Research Division
Biohazard Assessment Research Branch
26 W. Martin Luther King Jr. Drive
Cincinnati, OH 45268
Phone: 513-569-7387
Fax: 513-569-7464
Email: fout.shay@epa.gov

From: Li, Charles [<mailto:cli@EMSL.com>]
Sent: Monday, January 27, 2014 10:18 AM
To: Fout, Shay
Subject: RE: Water Cluster Project

Hi, Shay,

Thanks for your email. I am so glad that you still remember me and our interest on EPA1615. Of course, we will be very happy to participating your research project.

I will get the paper signed and send back to you.

Thanks

Charlie



Charles Li, Ph.D. | Director of PCR and DNA Analysis Laboratory
EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077
Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675
Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:

[LABConnect](#) | [Order Products](#) | [Client Corner](#) | [Training](#) | [Additional Resources](#) | [Sampling Videos](#)

"This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). **If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited.** If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you."

From: Fout, Shay [<mailto:Fout.Shay@epa.gov>]
Sent: Monday, January 27, 2014 10:14 AM
To: Li, Charles
Subject: Water Cluster Project

Dear Charles,

We have continued to have staffing issues that have greatly delayed getting our Water Cluster project off the ground. Are you still interested in participating in the project? I am attaching a rough Materials Cooperative Research and Development Agreement (MCRADA) draft, as we will have to have either an MCRADA or full CRADA in place to proceed. The MCRADA can be put in place fairly quickly, but can only be used if you do not plan on patenting and marketing plates for use with Method 1615. If the latter, then I will need to get the paperwork for the full CRADA started quickly. If you think an MCRADA will work, I will finish filling out Table 1 and add a work plan. I'm envisioning keeping everything simple at this point due to the delay and just having you prepare the plates and us do the testing. Please let me know if you would like to see a different approach.

Thanks and Happy New Year (Solar and Lunar),
Shay

G. Shay Fout, Ph.D.
Senior Research Microbiologist
U.S. Environmental Protection Agency (MS 593)
Microbiological & Chemical Exposure
Assessment Research Division
Biohazard Assessment Research Branch
26 W. Martin Luther King Jr. Drive
Cincinnati, OH 45268
Phone: 513-569-7387
Fax: 513-569-7464
Email: fout.shay@epa.gov

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg
which may be a computer program. This attached computer program could
contain a computer virus which could cause harm to EPA's computers,
network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced
into the EPA network. EPA is deleting all computer program attachments
sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you
should contact the sender and request that they rename the file name
extension and resend the Email with the renamed attachment. After
receiving the revised Email, containing the renamed attachment, you can
rename the file extension to its correct name.

For further information, please contact the EPA Call Center at
(866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg
which may be a computer program. This attached computer program could
contain a computer virus which could cause harm to EPA's computers,
network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced
into the EPA network. EPA is deleting all computer program attachments
sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you
should contact the sender and request that they rename the file name
extension and resend the Email with the renamed attachment. After

receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named

image001.jpg
which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named

image001.jpg
which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named

image001.jpg

which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****